



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Ornithological Articles in Other Journals.¹

Kent, D. E. Colony of Virginia and Sora Rails (at Bridport, Vt.). (Bull. No. 3, Vermont Botanical and Bird Clubs, April, 1917.)

Howe, Inez Addie. Nesting of the Connecticut Warbler [at St. Johnsbury, Vt.] (*Ibid.*).—This record, far away from the known breeding range of the species, is so remarkable, and the presence of Mourning Warblers so suggestive, that we cannot but wonder if the observer is familiar with the plumages of the two sexes of the latter.

Morgan, E. D. Goshawks Unusually Numerous. (*Ibid.*) [At Woodstock, Vt.].

M(urphy), R. C. The Sooty Albatross Group [in the Brooklyn Museum]. (The Brooklyn Museum Quarterly, IV, No. 2, April, 1917.)

Berry, Wm. A Chair of Economic Ornithology. (Scottish Naturalist, No. 66, June, 1917.)—An interesting discussion of the problem of bird preservation.

Rintoul, L. J. and **Baxter**, E. V. Report on Scottish Ornithology in 1916 including Migration. (*Ibid.*, double number, 67 and 68, July–August, 1917.)—A valuable addition to this historic series which the Misses Rintoul and Baxter are so admirably continuing.

Beaupre, E. The American Golden Plover in Eastern Ontario. (Ottawa Naturalist, XXXI, No. 2, May, 1917.)

Saunders, W. E. Disappearance of the Blue Gray Gnatcatcher. (*Ibid.* No. 3–4, June–July, 1917.)

Smith, Bertram G. Peculiar Nesting Behavior of a Robin. (Seventeenth Rept. Mich. Acad. of Sci.)—The birds built five nests on successive steps of a fire escape. Two were completed and two eggs laid in one and one in the other. The bird incubated them alternately but soon deserted them both. The author considers that the similarity of the steps rendered the bird unable to recognize its nest site.

Oberholser, H. C. *Piranga rubra rubra* in Colorado. (Proc. Biol. Soc. Wash., XXX, July 27, 1917, p. 122.) The record of *P. r. cooperi* proves to be based on a specimen of *rubra*.

Oberholser, H. C. Autumn Water-bird Records at Washington, D. C. (*Ibid.*, p. 122.)

Oberholser, H. C. Mutanda Ornithologica. II. (*Ibid.*, pp. 125–126.)—Five names, mainly of parrots, are changed on account of being preoccupied. *Nasiterna chloroxantha* (p. 126) is proposed in place of *N. pygmæa*.

Hollister, N. The Black Vulture in the District of Columbia and

¹Some of these journals are received in exchange, others are examined in the library of the Academy of Natural Sciences of Philadelphia. The Editor is under obligations to Mr. J. A. G. Rehn for a list of ornithological articles contained in the accessions to the library from week to week.

Maryland. (*Ibid.*, p. 123.)—The two records are of especial interest in connection with that of Dr. Phillips (General Notes, *antea*).

Todd, W. E. C. New Genera and Species of South American Birds. (*Ibid.*, pp. 127–130.) *Idiospiza* (p. 127), type *Linaria inornata* Lafr.; *Myospiza humeralis meridanus* (p. 127), Guarico Lara Ven.; *Sporophila lineola restricta* (p. 128), Gamarra, Magdalena, Col.; *Sporathraupis cyanocephala hypophæa* (p. 128), Paramo de Rosas, Ven.; *Thlypopsis fulviceps intensa* (p. 128), La Palmeta, Santander, Col.; *Tachyphonus luctuosus panamensis* (p. 128), Gatun, Panama; *Diglossopsis caerulescens saturata* (p. 128), La Palmeta, Santander, Col.; *Myrmeciza læmosticta palliata* (p. 129), La Palmeta, Santander, Col.; *Hylophylax naevioides subsimilis* (p. 129), Jaraquil, Bolivar, Col.; *Pæcilurus* (p. 129), type *Synallaxis candei*; *P. atrigularis* (p. 129), Gamarra, Magdalena, Col.; *Brotogetis jugularis exsul* (p. 129), Sierra de Carabobo, Ven.

Bartsch, Paul. Additions to the Haitian Avifauna. (*Ibid.*, pp. 131–132.)—*Porzana flaviventris hendersoni* (p. 131) subsp. nov.; *Dendroica petechia albicollis* (Gmel.), established as a distinct race and eleven other species added to the fauna of the country.

Patten, C. J. Western Black-eared Wheatear (*Enanthe hispanica hispanica*) on migration obtained on Tuskar Rock: A Bird new to Ireland. (Novit. Zool. XXIV, 1917, p. 1–16.)

Hartert, Ernst. Notes on Gamebirds. (*Ibid.*, pp. 275–292.)—*Caccabis* gives way to *Alectoris* on grounds of priority.

C. petrosus becomes *A. barbara*, Gmelin's *Tetrao petrosus* being *Ptilomachus fuscus* which therefore must be called *P. petrosus*.

The Greek Partridge should be *A. græca* Meisner, while two new races are described: *A. g. cypriotis* (p. 278) and *A. g. falki* (p. 280), from Cyprus and Russian Turkestan respectively.

A. heyi intermedia (p. 282), South Arabia; *Perdix p. italica* (p. 283), Chianti, Italy; and *P. p. armoricana* (p. 284), Rialle, France, are described as new.

Tetrao orientalis Linn. is fixed on the Sand Grouse which thus becomes *Pterocles orientalis* in place of *arenaria*.

Francolinus pondicerianus interpositus (p. 288), Oudh, India; and *F. bicalcaratus ayesha* (p. 291), Rabat, Morocco, are described as new.

Hartert, Ernst. Some Further Notes on *Antheptes malaccensis*. (*Ibid.*, p. 323.)

Platt, Chas. On Color in Animals. (Wild Life, June, 1917.) — Both June and July issues also contain excellent photographs of birds — Bittern, Black-backed Gull and Swallow.

U[prich], F. W. A Bird Injurious to Rice. The Yellow Headed Cuckoo (*Agelaius icterocephalus* L.) (Bull. Dept. of Agr. Trinidad and Tobago, XVI, pt. I, 1917.)

Ingram, Geoffroy. Some Field Notes on the Nightjar. (Trans. Cardiff Nat. Soc. XLVIII, 1916.)

Clodius, G. Ornithological Report for Mecklenberg and Lubeck for

1912-1913. (Archiv. de Verein der Freunde der Naturgeschichte in Mecklenburg, Vol. 68, 1914.) [In German.]

Alvarado, Rodolfo. Catalogue of the Common and Scientific Names of the Birds of the Mexican Republic. (Bolet. dela Direc. de Estudios Biologicos, Mex., I, No. 5, pp. 471-559.) — A list of the technical and of the vernacular names each arranged alphabetically, the former following the nomenclature of the 'Biologia Centrali Americana'; and a systematic list of the technical names with their derivation. [In Spanish.]

Oberholser, H. C. Notes on the Fringilline Genus *Passerherbulus* and its Nearest Allies. (The Ohio Journal of Science, XVII, No. 8, pp. 332-336, 1917.) — This genus is claimed to be composite according to the standard adopted in separating it from *Ammodramus* and *Centronyx*, and either the three should be merged, when the name *Ammodramus* will prevail for the group, or *Passerherbulus* must be divided in three. In the latter case, *Ammospiza* is available for the Sharp-tailed Sparrow and a new name, *Thryospiza* is proposed (p. 332) for the Seaside Sparrow.

The worst feature of the whole situation is that the horrible name "*Passer herbulus*" proves to be a nomen nudum as originally proposed by Maynard and would have sunk into oblivion had not an innocent cataloguer of supposedly necessary changes in the A. O. U. Check-List, who abhorred the name, inadvertently added the two words necessary to give it status, and so not only perpetuated it but gained the opprobrium of being its author!

Thornton, R. W., J. E. Duerden and F. C. Smith. Report on the North African Ostriches (Report 2, Dept. Agric. of S. Afr., 1916) imported into South Africa in 1912.

The northern plumes are much superior to those of the southern species. The two birds were successfully crossed and there is every prospect of producing a much higher grade of plumes. It is difficult to keep the pure northern bird alive in South Africa.

Baker, E. C. Stuart. Game Birds of India, Burma and Ceylon. (Journ. Bombay Nat. Hist. Soc., XXV, No. 1, March 20, 1917.)

Hopwood, J. C. and Mackenzie, J. M. D. A List of Birds from the Chin Hills. (*Ibid.*) — 219 species.

Publications Received.—**Bancroft**, W. F. Directory of Officials and Organizations Concerned with the Protection of Birds and Game, 1917. Biol. Survey, U. S. Dept. Agr., August 2, 1917.

Bergtold, W. H., M. D. A Study of the Incubation Periods of Birds. Kendrick-Bellamy Co., Denver, Colo., 1917, 8vo., pp. 1-109. Price, cloth bound, \$1.50 postpaid.

Brooks, W. Sprague. Notes on Some Falkland Island Birds. (Bull. Mus. Comp. Zoöl., Vol. LXI, No. 7, June, 1917.) pp. 136-160, pls. 3.

Howell, Alfred Brazier. Birds of the islands off the Coast of Southern California. Pacific Coast Avifauna No. 12, Cooper Ornithological Club, pp. 1-127. Price \$1.50.